Receiving Report Date: Batch No: Supplier: M Dart P/O: Packing Slip: Yes Release Note Attached: Yes N/A Invoice: Yes No Waybill Attached: Yes Receipt. Cash Cr Shipment Complete: QC6 Inspection Yes No N/A N/A Work Order N/A Discrepancies **Part** antity Quantity Quantity Quantity Description Number Comments dered Received Returned Short Initials of receiver (if shipment OK) Level 12 Production/Admin: Date Location Received/Costing Initial H:\FORMS\Purchasing\approved purch\RECREPORT Rev D

ΑII ε	All amounts are calculated in domestic currency.	lated in domesti	ic currency.			
em Types	Sə					
Recv Date/ v Emp	Recv Oty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Reject Oty	Oty/ ject Oty	Book Amt
7/2013	23.4584	\$14.80	0.0000		0	\$347.12
ESJ02		\$347.12	0.0000		0	
7/2013	21.7648	\$21.42	0.000		0	\$466.14
ESJ02	ઝું	\$466.14	0.0000		0	
7/2013	23.7725	\$16.45	0.0000		0	\$391.11
ESJ02		\$391.11	0.0000	***	. 0	and the state of t
		Total	Total Received Quantity: Total Qty to Inspect (PO U/M):	uantity:) U/M):		68.9957
			Total Reject Quantity: Total Receipt Value:	nantity: Value:		0.0000
		Tot	Total Balance Due Quantity:	uantity:		0.0000

Shipping Order

06/08/2013

MÉTAUX SOLUTIONS INC

Customer: 6323336

K6A 1K7

2625 BOUL JACQUES CARTIER EST LONGUEUIL, QUEBEC

DART AEROSPACE LTD

1270, ABERDEEN STREET HAWKESBURY, ONTARIO

J4N 1L7

Tel.: 450 641-3330

Order Reference

Bid

Ship

: 89402 . 20744

: 7661

: PICK UP / PICK UP

Ship To

Same

Tel.: 1 613 632-3336

Item No.	Description	<u>Q</u> ty	Qty. Delives	B/O Qty
DT3408330	4130N TUBE .750 X .083	22		
	1 x 22'			
	HT; 572138		20	0
DT1184130	4130 SMLS TUB 1,000" X .120"	24		
	1 x 24'			٠
	HT#A121997	22	22	S
DT2120834130	4130N TUBE 2.500 X .083	G.E.		
1	1 X 22'			•
	HT# 568489			
	SHIP TST COLLECT			
	JP			

Shipping:	Ref.	:	
Package No :			
Merchandise Received:			,

METAUX SOLUTIONS INC.

LONGUEUIL QC

SHIP TO: EXPÉDIÉ À:

2625 BOUL JACQUES CARTIER EST

METAUX SOLUTIONS (RIVE-SUD)

2625 BOUL JACQUES CARTIER EST LONGUEUIL QC J4N 1

4130 CDS TUBING AMS T 6736 COND N; Description: Line Total: 23.4584 FT

J4N 1L7

.750 OD X .083 W (.584 ID) X 17/24' R/L

ITEM: 100188 572138

Specifications:

AMS T 6736 B AMS 6371 J FAR 52.225-5

AMS 2640 J

MIL T 6736 B FAR 52.225-1

ASTM. A450 **ASTM E1444** AMS 6360 L

DFARS 252.225-7001

ASTM E112 AMS 2301

MN P S 0.5300 0.0090 0.002 0 AL CR C 0.0090 0.002 0.25 0.16 0.032 0.91 0.32

CU SN NI 0.02 0.001 0.003 0.002 0.13 0.09

RCPT: R923520

COUNTRY OF ORIGIN: GERMANY

MECHANICAL PROPERTIES

 YLD STR
 ULT TEN
 %ELONG

 PSI
 PSI
 IN 02

 119515.0
 127670.0
 20.0

 119000.0
 126930.0
 20.0

 120630.0
 128710.0
 20.0

 %ELONG %RED HARDNESS IN 02 IN IN AREA DESCRIPTION 20.0 26 26

GRAIN SIZE :9 -

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. /Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des specifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession/Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-

METAUX SOLUTIONS INC.

LONGUEUIL

SHIP TO: EXPÉDIÉ À:

2625 BOUL JACQUES CARTIER EST

METAUX SOLUTIONS (RIVE-SUD)

2625 BOUL JACQUES CARTIER EST LONGUEUIL OC J4N 1

4130 CDS TUBING AMS T 6736 COND N; Description: Line Total: 23.4584 FT

OC J4N 1L7

.750 OD X .083 W (.584 ID) X 17/24' R/L

ITEM: 100188 572138 HEAT:

MATERIAL IS FREE FROM MERCURY CONTAMINATION

EDDY CURRENT: YES

DECARB: OK

AMS NO :2301

SEVERITY: 0.02

FREOUENCY: 0.029

melt source benteler steel & tube - germany

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. /Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des specifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession./Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-

METAUX SOLUTIONS INC.

SHIP TO: EXPÉDIÉ À:

2625 BOUL JACQUES CARTIER EST LONGUEUIL OC. J4N 1L7

METAUX SOLUTIONS

(RIVE-SUD)

2625 BOUL JACQUES CARTIER EST LONGUEUIL QC J4N 1

Description: 4130 CDS TUBING AMS T 6736 COND N; W (.760 ID) X 17/24' R/L 1.000 OD X

HEAT: A121997 ITEM: 100903

Line Total: 23.7725 FT

Specifications:

AMS T 6736 B ASM 2640 J

Slow ASTM A450 ASTM E1444

AMS 6360 L DFARS 252.225-7001

ASTM E112 AMS 2301

CHEMICAL ANALYSIS

S AL · SI CR MO 0.30 0.54 0.007 0.01 0.28 0.029 1.0600 0.22

NI CU TΙ SN 0.001 0.19 0.003 0.002 0.012

RCPT: R114747

COUNTRY OF ORIGIN : USA

MECHANICAL PROPERTIES

YLD STR ULT TEN %ELONG %RED **HARDNESS** DESCRIPTION IN 02 IN PSI PSI IN AREA RC 108212.0 115092.0 21.0 24 107370.0 114340.0 21.0 24 109180.0 115990.0 21.0

GRAIN SIZE :7 -

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. /Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrites sur le certificat-We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. ./Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession./Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-

METAUX SOLUTIONS INC.

SHIP TO: EXPÉDIÉ À:

METAUX SOLUTIONS

(RIVE-SUD)

2625 BOUL JACQUES CARTIER EST OC LONGUEUIL

2625 BOUL JACQUES CARTIER EST LONGUEUIL QC J4N 1

J4N 1L7.

4130 CDS TUBING AMS T 6736 COND N; Description:

1.000 OD X .120 W (.760 ID) X 17/24' R/L

HEAT: A121997 ITEM: 100903 Line Total: 23.7725 FT

MATERIAL IS FREE FROM MERCURY CONTAMINATION

EDDY CURRENT: YES

DECARB: OK AMS NO :2301

SEVERITY: 0.0

FREQUENCY: 0.0

COMMENTS

melt source steel dynamics - usa melt/mfq

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. /Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession/Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO20744

Purchase Order Date 7/30/2013 PO Print Date 7/30/2013

Page Number 1 of 2

Order From:

VC-MET002

METAUX SOLUTIONS 2625 BOUL JACQUES-CARTHER EST LONGUEUIL, QC J4N 1L7

CA

DART AEROSPACE LTD Ship To:

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Ship Acct: 800 558 8858

Buyer

Brigitte Golden

Customer POID

Customer Tax # Terms

10127-2607 Net 30

Currency

CAD

FOB

Destination-Collect

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ CD Taxable Promise Date	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M4130NT0.750W.083 MAT: AISI 4130N SEAMLES: MIL-T-6736 OR AMS 6371,63	4130 RD Tube .750 x.083W S STEEL TUBING SEPC: 360, 6361, 6362, 6373, 6374	8/7/2013 Yes 8/7/2013	20.00 f J 3	\$15.20 - 4584	\$304.00
					Line Total:	\$304.00
2	M4130NT2.500W.063 SAME AS ABOVE	4130 RD tube 2.50 x .063 wall	8/7/2013 Yes 8/7/2013	20.00 g	\$22.00 KGS	\$440.00
	SAIVIE AS ABOVE	en e	(Line Total:	\$440.00
3	M4130NT1.000W.120 SAME AS ABOVE	4130 RD Tube 1.00 x .120wall	8/7/2013 Yes 8/7/2013	^{20.00} 2.3	*16.90 ************************************	\$338.00

Note:

/13/1/2



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO20744

Purchase Order Date 7/30/2013 PO Print Date 7/30/2013

Page Number 2 of 2

Order From:

METAUX SOLUTIONS 2625 BOUL JACQUES-CARTIIER EST LONGUEUIL, QC J4N 1L7

CA

VC-MET002

Ship To: DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via:

Ship Acct:

800 558 8858

Buyer

Brigitte Golden

Customer POID

Customer Tax #

10127-2607 Net 30

Terms Currency

CAD

FOB

Destination-Collect

Line Total:

\$338.00

PO Total:

\$1,082.00

Note: Pricing listed above is as per contract agreement between Dart Aerospace and the respective manufacturer.

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required YES

PST# 6122-5207

Change Nbr:

Change Date:

7/30/2013